

Santen Pharmaceutical Co., Ltd.

Status of Clinical Development

May 9, 2007

Toshiaki Nishihata, Ph.D.
Senior Corporate Officer
Head of Research and Development Division

Forward-looking statements

The process of drug research and development from discovery to final approval and sales in long, complex and uncertain. Individual compounds are subject to a multitude of uncertainties, including the termination of clinical development at various stages and the non-approval of products after a regulatory filing has been submitted.



Status of major clinical studies (ophthalmics): DE-085

•DE-085 (Glaucoma, Ocular hypertension)

	Development Stage		
Region	As of May 9, 2007	As of Nov. 1, 2007 (Previous announcement)	Remarks
Japan	Applied for manufacturing and marketing approval	Applied for manufacturing and marketing approval	Applied in July 2006
Europe	Applied for manufacturing and marketing approval	Preparing for application	Applied in April 2007

USA	Deciding the possibility of NDA filing after careful study of its marketability
-----	---



Status of major clinical studies (ophthalmics): DE-089 DE-099 DE-101

•DE-089 (Corneal and conjunctival epithelial disorders associated with dry eye)

	Development Stage As of May 9, 2007 As of Nov. 1, 2006 (Previous announcement)		
Region			Remarks
Japan	Р3	Start P3	To be filed in 3Q/FY2008

•DE-099 (Corneal and conjunctival epithelial disorders associated with dry eye)

	Development Stage		
Region	As of May 9, 2007 As of Nov. 1, 2006 (Previous announcement)		Remarks
Japan	Start P2a	Preparing P2a	Generic name: Gefarnate; preservative-free ointment

•DE-101 (Corneal and conjunctival epithelial disorders associated with dry eye)

	Development Stage			
Region	As of May 9, 2007	As of Nov. 1, 2006 (Previous announcement)	Remarks	
USA	Start P2a	Start P1	Generic name: Rivoglitazone	



Status of major clinical studies: DE-096 (ophthalmics and other)

•DE-096 (RA, DME)

Region	Indication	Stage	Remarks
Japan	Rheumatoid Arthritis	P2a	Conducting as
	Diabetic Macular Edema	P2a	planned



Status of major clinical studies (ophthalmics): DE-092

•DE-092 (Glaucoma, Ocular hypertension)

	Region	Stage	Remarks
As of May 8, 2007	Europe	Preparing P2a pilot study	Generic name:
As of Nov. 1, 2006 (Previous announcement)	Japan·USA	Clinical studies have been suspended	Olmesartan

- 1. The P2b studies in Japan and P2a studies in Europe did not demonstrate clear dose-response relationship nor sufficient IOP-lowering effect.
 - Clinical studies have been suspended
- 2. Now we are preparing for the P2a pilot study with a different formulation.



Status of major clinical studies (ophthalmics):DE-102• DE-104

• DE-102 (Diabetes Macular Edema)

-		nent Stage	Damarka
Region	As of May 9, 2007	As of Nov. 1, 2006 (Previous announcement)	Remarks
Japan	Start P1 / 2a	Preparing for clinical studies	Steroid DDS

•DE-104 (Glaucoma/ Ocular hypertension)

•		nent Stage	_
Region	As of May 9, 2007	As of Nov. 1, 2006 (Previous announcement)	Remarks
USA	Start P1	Preparing for clinical studies	ROCK inhibitor

New pipelines

Clinical studies planned to start by June, 2007

Field	Dev. Code	Remarks	Origin
Allergy	DE-103	PDE4 inhibitor	In-licensed from Ono Pharmaceutical